

The Health of Emergency Physicians and its Impact on Patient Care: A Call to Action

January 2020



Australasian College
for Emergency Medicine



The Royal College of
Emergency Medicine



American College of
Emergency Physicians®



CAEP | ACMU

The Health of Emergency Physicians and its Impact on Patient Care: A Call to Action

Emergency Medicine (EM) fulfills an essential role in providing expert, front-line care in the diagnosis, stabilization and treatment of undifferentiated illness to diverse populations. Emergency physicians are at the forefront of knowledge creation and translation in the care of the acutely ill and injured patient. Consequently, health systems and the patients they serve rely on EM teams to carry out their important role in a sustainable fashion.

Recent literature has highlighted the risks associated with burnout syndrome (BOS) among physicians in general,¹⁻⁶ and emergency physicians in particular.^{3,7-8} Physician burnout is a long-term stress reaction characterized by depersonalization, cynical or negative attitudes toward patients, emotional exhaustion, a feeling of decreased personal achievement and a lack of empathy for patients.^{1,9-12} This can result in decreased career longevity and job satisfaction, along with increased rates of depression and suicidality.^{4,13-19} Adverse impacts on patients include decreased quality of care and patient satisfaction, as well as increased rate of medical error and malpractice risk.^{13,14,20-33} In fact, BOS has been shown to predict medical error more strongly than fatigue.³⁴ In countries with a shortage of highly-skilled Emergency specialists, increased attrition exacerbates the shortage of such physicians,³⁵ who require many years of training, at significant cost, to replace.

Rates of burnout among physicians overall have been measured at 25-45%,³⁶⁻⁴⁰ higher than other comparable professional fields. Emergency physicians and residents have consistently been among the highest-risk medical specialties, with quoted burnout rates greater than 65-80%.^{3,7,8,36-39}

Due to the critical importance to society of EM, the high prevalence of BOS in emergency physicians and the attendant risks to both patients and providers from BOS, **the undersigned hereby declare a call to action:**

- *Recognition of BOS as a major occupational hazard and threat to the delivery of emergency care, which is an essential service*

- *Better understanding and mitigation of the key underlying causes of BOS in Emergency Physicians, including systemic factors which are remediable, such as access block and violence in the ED*
- *The need for international/national/regional collaboration on prevention, study and treatment of Emergency Physicians health, along with champions at all levels to promote the sustainability of EM practice.*

Signed,

Dr. Katherine Henderson
President, Royal College of Emergency Medicine

Dr. Sunil Dasan
Sustainable Working Practices Committee Chair, Royal College of Emergency

Dr. John Bonning
President, Australasian College for Emergency Medicine

American College of Emergency Physicians

Alecs Chochinov MD FRCPC
President, Canadian Association of Emergency Physicians

Rodrick Lim MD FRCPC
Chair, Emergency Wellness Committee, Canadian Association of Emergency Physicians

Background Information:

BOS in physicians has many important individual and system level factors. Individual factors include:

- Stressful and unpredictable case mix, with little to no recovery time
- Circadian disruption and sleep disturbances
- Personal experiences of bullying, harassment and increasing ED violence

System-level stresses which are crucial in directly contributing to the crisis, include:

- Enormous pressures to be efficient while delivering care under life and death circumstances
- High intensity and complexity of workload, with frequent surges
- The inability to look after patients optimally due to system constraints such as access block, and resultant “moral injury”.³⁹

Solutions to combat BOS must occur throughout the system in order to achieve the goals of:

- Recognition of BOS as a major occupational hazard and threat to the delivery of emergency care, which is an essential service
- Better understanding and mitigation of the key underlying causes of BOS in Emergency Physicians, including systemic factors which are remediable, such as access block and violence in the ED
- The need for international/national/regional collaboration on prevention, study and treatment of Emergency Physicians health, along with champions at all levels to promote the sustainability of EM practice.

To International Emergency and Health Care Organizations:

We call for:

- Increased collaboration to promote awareness of BOS, and support for the development of programs that help in its understanding, prevention and mitigation.

To National Governments and Health Care Organizations (HCOs):

We call for:

- Comprehensive strategies to mitigate the impact of BOS on emergency physicians. Governments and HCOs must view this as a major occupational hazard,⁴² and develop longitudinal programs to help prevent and address BOS in the workplace.⁴³
- Provision of necessary infrastructure and resources ,to create a resilient and sustainable work environment for emergency physicians, based on evaluation of best practices³²

To Regional Hospital Systems and Health Networks:

We call for:

- The establishment and tracking of metrics related to job satisfaction and BOS in emergency physicians, benchmarked with comparable groups.
- Specialized programs targeted to the health of emergency physicians and readily available services to monitor and support BOS, in addition to programs targeted at prevention.⁴⁴

To Emergency Department Leaders, Academics and Administrators:

We call for:

- Local champions to help understand, identify, support and initiate strategies to help combat BOS.
- Education and program development centered around the pillars of physical and emotional health, including sleep habits and recovery.
- The attainment of a healthy work environment and culture as a priority, to address the imminent threat to patient and workplace safety.^{31,45-50}

References:

1. Spickard A Jr, Gabbe SG, Christensen JF. Mid-career burnout in generalist and specialist physicians. *JAMA*. 2002;288(12):1447-145012243624
2. Shanafelt TD, Balch CM, Bechamps GJ, et al. Burnout and career satisfaction among American surgeons. *Ann Surg*. 2009;250(3):463-47119730177
3. Shanafelt TD, et al. Burnout and Satisfaction With Work-Life Balance Among US Physicians Relative to the General US Population. *JAMA* 2012;172(18): 1377-1385.
4. Wallace JE, Lemaire JB, Ghali WA. Physician wellness: a missing quality indicator. *Lancet*. 2009;374(9702):1714-172119914516
5. Shanafelt TD, Sloan JA, Habermann TM. The well-being of physicians. *Am J Med*. 2003;114(6):513-51912727590
6. Freudenberger HJ. Staff burn-out. *J Soc Issues* 1974;30: 159-165.
7. Lin M, Battaglioni N, Melamed MD, Mott SE, Chung AS, Robinson DW. High Prevalence of Burnout Among US Emergency Medicine Physicians: Results From the 2017 National Emergency Medicine Wellness Survey. *Annals of Emergency Medicine*. March 2019
8. Arora M, Asha S, Chinnappa J, Diwan A. Review Article: Burnout in emergency medicine physicians. *Emergency Medicine Australasia*. 2013;25(6): 491-495
9. Maslach C, Jackson S, Leiter M. *Maslach Burnout Inventory Manual*. 3rd ed. Palo Alto, CA: Consulting Psychologists Press; 1996
10. Brady KJS, Trockel MT, Khan CT, Raj KS, Murphy ML, Bohman B, Frank E, Louie AK, Roberts LW. What do we Mean by Physician Wellness? A Systematic Review of its Definition and Measurement. *Acad Psychiatry*. 2018 42(1): 94-108.
11. Maslach C, Leiter MP. Understanding the burnout experience: recent research and its implications for psychiatry. *World Psychiatry* 2016;15:103–11.

12. Ruzycski S, Lemaire J. Physician Burnout. CMAJ January 15, 2018 190 (2) E53; DOI: <https://doi.org/10.1503/cmaj.170827>
13. Dyrbye LN, Massie FS Jr, Eacker A, et al. Relationship between burnout and professional conduct and attitudes among US medical students. JAMA. 2010;304(11):1173-118020841530
14. Shanafelt TD, Balch CM, Bechamps G, et al. Burnout and medical errors among American surgeons. Ann Surg. 2010;251(6):995-100019934755
15. Shanafelt T, Sloan J, Satele D, Balch C. Why do surgeons consider leaving practice? J Am Coll Surg. 2011;212(3):421-42221356491
16. Balch CM, Shanafelt TD, Sloan JA, Satele DV, Freischlag JA. Distress and career satisfaction among 14 surgical specialties, comparing academic and private practice settings. Ann Surg. 2011;254(4):558-56821946217
17. Oreskovich MR, Kaups KL, Balch CM, et al. Prevalence of alcohol use disorders among American surgeons. Arch Surg. 2012;147(2):168-17422351913
18. Shanafelt TD, Balch CM, Dyrbye LN, et al. Special report: suicidal ideation among American surgeons. Arch Surg. 2011;146(1):54-6221242446
19. Brown SD, Goske MJ, Johnson, CM. Beyond Substance Abuse: Stress, Burnout, and Depression as Causes of Physician Impairment and Disruptive Behaviour. J Amer Coll Rad 2009;6(7): 479-485.
20. Firth-Cozens J Greenhalgh J Doctors' perceptions of the links between stress and lowered clinical care. Soc Sci Med. 1997; 44: 1017-1022
21. Shanafelt TD Bradley KA Wipf JW Back AL Burnout and self-reported patient care in an internal medicine residency program. Ann Intern Med. 2002; 136: 358-367
22. Williams ES Skinner AC Outcomes of physician job satisfaction: a narrative review, implications and directions for future research. Health Care Manage Rev. 2003; 28: 119-140

23. Fahrenkopf AM, Sectish TC, Barger LK et al. Rates of medication errors among depressed and burnt out residents: prospective cohort study. *BMJ*. 2008; 336: 488-491
24. Landrigan CP, Rothschild JM, Cronin JW et al. Effect of reducing interns' work hours on serious medical errors in intensive care units. *N Engl J Med*. 2004; 351: 1838-1848
25. Lockley SW, Cronin JW, Evans EE et al. for the Harvard Work Hours, Health and Safety Group. Effect of reducing interns' weekly work hours on sleep and attentional failures. *N Engl J Med*. 2004; 351: 1829-1837
26. West CP, Huschka MM, Novotny PJ et al. Association of perceived medical errors with resident distress and empathy: a prospective longitudinal study. *JAMA*. 2006; 296: 1071-1078
27. Simendinger EA, Moore TF. *Organizational Burnout in Health Care Facilities: Strategies for Prevention and Change*. Rockville, MD: Aspen Syst Co; 1985
28. Halbesleben JRB, Rathert C. Linking Physician Burnout and Patient Outcomes: Exploring the Dyadic Relationship Between Physicians and Patients. *Health Care Manage Rev*. 2008, 33(1): 29-39.
29. Lu DW, et al. Impact of Burnout on Self-Reported Patient Care among Emergency Physicians. *West J Em*, 2015;16(7): 996-1001.
30. Del Carmen MG, Herman J., Rao S et al. Trends and Factors Associated with Physician Burnout at A Multispecialty Academic Faculty Practice Organization. *JAMA Net Open*, 2019 2(3).
31. Dyrbye LN, Shanafelt TD, Gill PR, Satele DV, West CP. Effect of a Professional Coaching Intervention on the Well-being and Distress of Physicians: A Pilot Randomized Clinical Trial. *JAMA Intern Med*. Published online August 05, 2019;179(10):1406–1414. doi:10.1001/jamainternmed.2019.2425

32. Dyrbye, L.N., T.D. Shanafelt, C.A. Sinsky, P.F. Cipriano, J. Bhatt, A. Ommaya, C.P. West, and D. Meyers. 2017. Burnout among health care professionals: A call to explore and address this underrecognized threat to safe, high-quality care. NAM Perspectives. Discussion Paper, National Academy of Medicine, Washington, DC. <https://nam.edu/burnout-among-health-careprofessionals-a-call-to-explore-and-address-this->
33. Dewa CS, Jacobs P, Thanh NX, Loong D. An estimate of the cost of burnout on early retirement and reduction in clinical hours of practicing physicians in Canada. BMC Health Serv Res 2014;14: 254.
34. Tawfik, Daniel S. et al. Physician Burnout, Well-being, and Work Unit Safety Grades in Relationship to Reported Medical Errors. Mayo Clinic Proceedings, Volume 93, Issue 11, 1571 – 1580.
35. Smith E, Dasan S. A system under pressure. British Journal of Hospital Medicine Vol. 79, No. 9 <https://doi.org/10.12968/hmed.2018.79.9>.
36. Peckham C, (2018, January 17). Medscape National Physician Burnout, Depression & Suicide Report 2018. Retrieved from <https://www.medscape.com/slideshow/2018-lifestyle-burnout-depression-6009235#4>
37. Kane L, (2019 January 16) Medscape National Physician Burnout, Depression & Suicide Report 2019. Retrieved from <https://www.medscape.com/slideshow/2019-lifestyle-burnout-depression-6011056#29>
38. Canadian Medical Association (2018 October) CMA National Physician Health Survey: A National Snapshot. Retrieved from <https://www.cma.ca/sites/default/files/pdf/Media-Releases/nph-survey-e.pdf>
39. Davies M, (2013 June 4) Revealed: Half of GPs at high risk of burnout. Retrieved from <http://www.pulsetoday.co.uk/home/battling-burnout/revealed-half-of-gps-at-high-risk-of-burnout/20003157.article#.VW2B5UaRa4E>

40. Kaplan JA. The Burden of Burnout for Physicians. Retrieved from <https://www.acepnow.com/article/the-burden-of-burnout-for-physicians/>
41. Talbot S, Dean W. Physicians aren't 'burning out.' They're suffering from moral injury. Retrieved from <https://www.statnews.com/2018/07/26/physicians-not-burning-out-they-are-suffering-moral-injury/>
42. Khoury B., Kogan C., Daouk S. (2017) International Classification of Diseases 11th Edition (ICD-11). In: Zeigler-Hill V., Shackelford T. (eds) Encyclopedia of Personality and Individual Differences. Springer, Cham.
43. International Federation of Emergency Medicine. (July 2016) Creating Sustainable Working Conditions for the Emergency Physician. Retrieved from <https://www.ifem.cc/wp-content/uploads/2016/07/Creating-Sustainable-Working-Conditions-for-the-Emergency-Physician-April-2015.pdf>
44. Royal College of Emergency Medicine (Sept 2018) EMPOWER: guide to engage and retain your established EM Staff. Retrieved from <https://www.rcem.ac.uk/docs/Workforce/Engage%20and%20Retain%20Sept%202018.pdf>
45. NHS Health Education England (February 2019). NHS Staff and Learners Mental Wellbeing Commission. Retrieved from <https://www.hee.nhs.uk/sites/default/files/documents/NHS%20%28HEE%29%20-%20Mental%20Wellbeing%20Commission%20Report.pdf>
46. Royal College of Emergency Medicine (April 2019) EM-POWER: Wellness Compendium for EM: Positivity, Opportunity, Wellbeing, Engagement, Retainment. Retrieved from [https://www.rcem.ac.uk/docs/Sustainable%20Working/0.%20Wellness%20Compendium%20\(Apr%202019\).pdf](https://www.rcem.ac.uk/docs/Sustainable%20Working/0.%20Wellness%20Compendium%20(Apr%202019).pdf)
47. Royal College of Emergency Medicine (2014) Creating successful satisfying and sustainable careers in Emergency medicine. Retrieved from <https://www.rcem.ac.uk/docs/Workforce/Creating%20successful,%20satisfying,%20sustainable%20careers%20in%20Emergency%20Medicine.pdf>

48. Royal College of Emergency Medicine (2014) Creating successful satisfying and sustainable careers in Emergency medicine: Summary Guideline Retrieved from <https://www.rcem.ac.uk/docs/Workforce/Creating%20successful,%20satisfying,%20sustainable%20careers%20in%20Emergency%20Medicine.pdf>

49. NHS. (April 2019) Workforce Stress and the Supportive Organization. Retrieved from https://www.hee.nhs.uk/sites/default/files/documents/Workforce%20Stress%20and%20the%20Supportive%20Organisation_0.pdf

50. Royal College of Emergency Medicine (April 2019) EMPOWER: practical guide for EM Clinical and Non-Clinical Managers Retrieved from <https://www.rcem.ac.uk/docs/Sustainable%20Working/EM-POWER.%20A%20Practical%20Guide%20for%20EM%20Clinical%20and%20Non%20Clinical%20Managers%20Final.pdf>